

CITADEL™ Zipper Track for High Winds

Crank Operated or Motorized Wind load 50 mph*







The CITADEL™ High Wind Zipper Track retractable shade system provides the strongest possible seal against the wind, weather, insects, critters, dirt and pollen. It fully encloses covered roof areas. Custom manufactured to your exact dimensions, its advanced design and more robust components set the new standard of excellence in durable fabric retention systems.

At the top an extruded aluminum housing box hides and protects the roller. Industrial strength zippers are securely welded to the sides of the fabric. As the shade is lowered, the zippers lock into sturdy fabric retention tracks that prevent the wind from blowing the shade out of them. The heavy-duty bottom rail integrates smoothly into the retention tracks completing the powerful lock. The shade glides up and down easily and can be stopped in any position.

The CITADEL™ can be made using either transparent solar shades, clear vinyl with solid borders, or with blackout fabrics.

The Powerful Difference


- Larger, heavy walled rollers prevent sagging, the spline runs full width of shade
- Thicker zippers, broader fabric retention bands and wider fabric retention tracks create a stronger seal
- Zippers run full height of shade
- Housing box interlocking system eases installation
- Funnel system guides fabric smoothly into tracks as the diameter of roller changes
- Contoured weight bar integrates into tracks for a more robust lock
- Extra pile brush choices ensure a solid fit to the floor.
- Metal components are all corrosion resistant, available in 8 matching colors.



Extruded aluminum housing



Larger Heavy Walled Rollers



Wider Fabric Retention Track System Integrated Weight Bar & Track



Transparent Solar Shades

CITADEL Classic™ up to 14'w x 12'h CITADEL Brawny™ up to 20' w x 12'h







Make your outdoor living spaces more livable by blocking the sun's heat, glare and UV

- Full vision out with daytime privacy
- Extra wide all -weather outdoor shade fabrics for less seaming
- Available in 3 densities to customize amount of sun protection
- Darker colors give sharper outward visibility, better heat and glare reduction
- Lighter colors provide more natural light
- Microban enhanced to inhibit mold and mildew
- No see-um screens also available
- 10 Year Fabric Warranty

Clear Vinyl with Solid Borders

CITADEL Classic™ Max: 14'w x 10'h CITADEL Brawny™ Max 20' w x 10'h







Allow the sun's warmth to fully penetrate your interior space, maintaining a transparent barrier against the elements

- 20 ml. marine grade vinyl panels, double polished to inhibit sticking
- -20°F cold crack, rejects 98% UV
- UV package in formulation protects vinyl from UV damage
- Solid borders are durable, waterproof material, available in 7 decorative colors

Blackout Total Privacy Shades

CITADEL Classic™ Max: 14'w x 10'h CITADEL Brawny™ Max 20' w x 10'h







Soltis blackout fabrics completely block the sun and the elements for both day and night time privacy

Keeps interiors noticeably cooler, stops fade

- · High tenacity weather resistant polyester
- · Will not stretch under heavy loads
- Colorfast, Withstands temps from -86°F to 158F°
- Dirt resistant, dual colored
- Shade larger than 67" w x 65" h will need to be seamed with sonic welding
- Don't move heavy furniture inside for the season, enclose it with the Citadel

CITADEL™ Radio Control Motorization

- 5 Year warranty, pre-programmed remotes/wireless wall switches
- Optional: timers, wind sensors, sun/wind/wind sensors, rain/sun sesors
- Motors have an obstacle detection safety feature
- Home automation through My Link

Important: Shades can be raised in windy conditions but should be lowered in calm conditions.

*Wind load is increased if correctly installed shade is up against a structure. Open weave shades have even more wind tolerance than solid materials.

Rely on our team of experts. We will guide you every step of the way



Karen Hopkins, Debby Miller (Center) President, and Carla Stein

Call us at (866) 230-4700 to order or answer any questions.